

Baptist Health South Florida

Scholarly Commons @ Baptist Health South Florida

All Publications

10-25-2019

Canine-Assisted Therapy (CAT): A nurse-initiated program to reduce patients' perception of pain and anxiety at a critical access hospital

Victoria McCue

Doctors Hospital, victoriamc@baptisthealth.net

Molly Vlach

Mariners Hospital, mollyv@baptisthealth.net

Sherry Stathers

Mariners Hospital, Sherryst@baptisthealth.net

Clair Hefner

Fishermen's Community Hospital, clairh@baptisthealth.net

Theresa Worden

Mariners Hospital, theresaW@baptisthealth.net

See next page for additional authors

Follow this and additional works at: <https://scholarlycommons.baptisthealth.net/se-all-publications>

Citation

McCue, Victoria; Vlach, Molly; Stathers, Sherry; Hefner, Clair; Worden, Theresa; and Erickson, Julie, "Canine-Assisted Therapy (CAT): A nurse-initiated program to reduce patients' perception of pain and anxiety at a critical access hospital" (2019). *All Publications*. 3285.

<https://scholarlycommons.baptisthealth.net/se-all-publications/3285>

This Conference Poster -- Open Access is brought to you for free and open access by Scholarly Commons @ Baptist Health South Florida. It has been accepted for inclusion in All Publications by an authorized administrator of Scholarly Commons @ Baptist Health South Florida. For more information, please contact Carrief@baptisthealth.net.

Authors

Victoria McCue, Molly Vlach, Sherry Stathers, Clair Hefner, Theresa Worden, and Julie Erickson

Victoria Y. McCue, MSN, PhD(c), RN, CPN; Molly Vlach, MSN, RN, CIC; Sherry Stathers, BSN, RN; Clarinda Hefner, MSN, RN, CDE; Theresa Worden, BSN, RN, CCRN; Julie Erickson, BSN, RN-BC

BACKGROUND

- Patients encounter stressors impacting recovery.
- Increase concern regarding the use of opioids for pain.
- Canine-assisted therapy (CAT) has a positive impact for hospitalized patients.
- However, no studies examined the effect of CAT on reducing pain and anxiety within a rural critical access setting.
- Understanding the benefits, nurses implemented CAT at Mariners Hospital, a critical access hospital.

RESEARCH QUESTION

How does CAT effect inpatients' perceived level of pain and anxiety at a rural critical access hospital?



METHODS


- Quasi-experimental design
- Inpatients who met inclusion criteria were invited to participate
- Wong-Baker Pain Scale (WBPS) & Numerical Pain Scale (NPS) assessed patients' pain pre & post CAT
- Faces Anxiety Scale (FAS) assessed patient's anxiety pre & post CAT
- Participants decided length of CAT: 5 - 15 minutes
- Paired sample t-tests utilized to compare pre & post pain and anxiety reported by the participants



Ollie: Mariners Hospital Certified Therapy Dog

RESULTS

- 50 participants
- The results showed a statistically significant decrease in the pain levels pre CAT (M=2.58, SD=2.82) and post CAT (M=1.52, SD=2.17); $t(49)=4.90$, $p=.000$, $\text{cohen's } d = 0.692$.
- The results for anxiety showed a statistically significant decrease in the anxiety level pre-therapy (M=2.40, SD=1.34) and post-therapy (M=1.38, SD=0.64); $t(49)=6.36$, $p=.000$, $\text{cohen's } d = 0.899$.



CONCLUSION & IMPLICATIONS

- Study results strongly suggest that CAT is effective in reducing patients' perception of pain and anxiety.
- With the increasing regulation and concern regarding the use of opioid pain medications, other interventions need to be examined and utilized to assist in reducing pain and anxiety for inpatients.
- CAT is cost effective, positive return on investment.
- Supports patients' healing and well-being.
- CAT is a therapeutic intervention that rural critical access hospitals should consider incorporating as another modality to decrease patients' pain and anxiety.



Sonny: Mariners Hospital Certified Therapy Dog



REFERENCES

Harper, C. M., Dong, Y., Thornhill, T. S., Wright, J., Ready, J., Brick, G. W., & Dyer, G. (2015). Can therapy dogs improve pain and satisfaction after total joint arthroplasty? A randomized controlled trial. *Clinical Orthopedics & Related Research*, 473(1), 372-379. doi:10.1007/s11999-014-3931-0

Herzog, H. (2011). The impact of pets on human health and psychological well being: Fact, fiction or hypothesis. *Curr Dir Psychol Science*, 20(4), 236-239.

Mission Health. (2014). *Paws on a mission: Pet therapy program*. Retrieved from <http://www.mission-health.org/centers-and-services/programs-service/integrative-healthcare/services/paws-mission-pet-therapy-program>

Reynolds, A. (2012). Pets as therapy: Where is the evidence?. *Nursing & Residential Care*, 14(9), 478-481.

Snipelisky, D., Duello, K., Gallup, S., Myrick, J., Taylor, V., Yip, D., & ... Burton, M. C. (2016). Feasibility of canine therapy among hospitalized pre-heart transplant patients. *Southern Medical Journal*, 109(3), 154-157. doi:10.14423/SMJ.0000000000000420